

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2486	((370/535) or (370/536) or (370/537) or (370/538) or (370/539) or (370/540) or (370/541) or (370/542) or (370/544) or (370/545)).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L2	3	((("6081522") or ("5905725") or ("5862128"))).PN.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L3	11679	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND (((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L4	168	(370/545).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L5	0	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND (((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06

		(((rout\$3) or (forward \$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND ((memory) adj (pointer)) AND ((write) adj (pointer))				
L6	145	(370/539).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L7	325	(370/538).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L8	672	(370/537).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L9	283	(370/536).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L10	996	(370/535).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L11	9494	(((router\$1) or (switch \$2) or ((switch\$3) adj (fabric)) or (multiplex \$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access \$3))) AND ((((higher) or (fast \$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L12	43	(370/544).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L13	158	(370/542).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L14	77	(370/541).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L15	119	(370/540).CCLS.	USPAT; USOCR	OR	OFF	2009/04/21 20:06
L16	85	L11 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06

L17	75	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND (((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND (((packet\$1) or (cell\$1)) near2 (discard\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L18	45	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND (((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND (((packet\$1) or (cell\$1)) near2 (discard\$3)) AND (((time) adj (division) adj (multiplex\$3)) or ("TDM")) AND (((packet\$1) or (cell\$1)) near2 (stream\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06

L19	55	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND ((((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND (((packet\$1) or (cell\$1)) near2 (discard\$3)) AND (((time) adj (division) adj (multiplex\$3)) or ("TDM"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L20	10	L19 NOT L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L21	20	("6304552").URPN.	USPAT	OR	ON	2009/04/21 20:06
L22	5	(US-6081522-\$ or US-5905725-\$ or US-5862128-\$ or US-6304552-\$ or US-6272151-\$ or US-7212494-\$ or US-7218637-\$).did.	USPAT	OR	ON	2009/04/21 20:06

L23	56	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3) or (ingress))) AND ((((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4) or (egress))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND (((packet\$1) or (cell\$1)) near2 (discard\$3)) AND (((time) adj (division) adj (multiplex\$3)) or ("TDM"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L24	566	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND (((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND ((((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06

L25	4	L24 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L26	305	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or (multiplex\$3)) AND ((((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND ((((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND (((rout\$3) or (forward\$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix)))	USPAT; USOCR	OR	ON	2009/04/21 20:06
L27	4	L26 and L1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 20:06
L28	132	L26 and ("370"/\$. ccls.)	USPAT; USOCR	OR	ON	2009/04/21 20:06
L29	46	((router\$1) or (switch\$2) or ((switch\$3) adj (fabric)) or ((cross) adj (bar)) or (crossbar) or (multiplex\$3)) AND ((((lower) or (slow\$2)) near3 ((speed) or (rate))) SAME ((input) or (enter\$3) or (entrance) or (access\$3))) AND ((((higher) or (fast\$2)) near3 ((speed) or (rate))) SAME ((output) or (exit) or (depart\$3) or (transmit\$4))) AND	USPAT; USOCR	OR	ON	2009/04/21 20:06

		(((rout\$3) or (forward \$3) or (multiplex\$3)) near2 ((table) or (database) or (matrix))) AND (((packet\$1) or (cell \$1)) near2 (discard \$3))				
L30	7	(US-6081522-\$ or US-5905725-\$ or US-5862128-\$ or US-7218637-\$ or US-7212494-\$ or US-6304552-\$ or US-6272151-\$).did.	USPAT	OR	OFF	2009/04/21 20:06
L31	2096	(FIFO) AND ((memory) adj ((address\$2) or (pointer\$1))) AND (((input) or (incoming) or (receiving)) adj ((buffer\$1) or (queue \$1) or (memor\$3)))	USPAT	OR	OFF	2009/04/21 20:06
L32	122	(FIFO) AND ((memory) adj ((address\$2) or (pointer\$1))) AND (((input) or (incoming) or (receiving)) adj ((buffer\$1) or (queue \$1) or (memor\$3))) AND ((routing) adj (table\$1))	USPAT	OR	OFF	2009/04/21 20:06
L33	108	(FIFO) AND ((memory) adj ((address\$2) or (pointer\$1))) AND (((input) or (incoming) or (receiving)) adj ((buffer\$1) or (queue \$1) or (memor\$3))) AND ((routing) adj (table\$1)) AND (source) AND (destination)	USPAT	OR	OFF	2009/04/21 20:06

L34	108	(FIFO) AND ((memory) adj ((address\$2) or (pointer\$1))) AND (((input) or (incoming) or (receiving)) adj ((buffer\$1) or (queue \$1) or (memor\$3))) AND ((routing) adj (table\$1)) AND (source\$1) AND (destination\$1)	USPAT	OR	OFF	2009/04/21 20:06
L35	10	(US-6081522-\$ or US- 5905725-\$ or US- 5862128-\$ or US- 7218637-\$ or US- 7212494-\$ or US- 6304552-\$ or US- 6272151-\$ or US- 6493347-\$ or US- 6687247-\$ or US- 7020139-\$ or US- 7382787-\$).did.	USPAT	OR	OFF	2009/04/21 20:06
L36	48	((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3)))) SAME (((switch\$3) adj (fabric)) or ((cross) adj (bar)) or (fabric) or (matrix))	USPAT	OR	OFF	2009/04/21 20:06
L37	60	((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3)))) SAME (((switch\$3) adj (fabric)) or ((cross) adj (bar)) or (crossbar) or (fabric) or (matrix))	USPAT	OR	OFF	2009/04/21 20:06

L38	1090	((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))	USPAT	OR	OFF	2009/04/21 20:06
L39	410	((multicast\$3) or (broadcast\$3)) WITH (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))	USPAT	OR	OFF	2009/04/21 20:06
L40	17	(((multicast\$3) or (broadcast\$3)) WITH (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))) WITH ((simultaneous\$2) or (("same") adj (time)))	USPAT	OR	OFF	2009/04/21 20:06
L41	0	((broascast\$3) or (multicast\$3)) WITH ("only if all ports are available")	USPAT	OR	OFF	2009/04/21 20:06
L42	0	((broascast\$3) or (multicast\$3)) WITH ("only if all ports are available")	USPAT	OR	OFF	2009/04/21 20:06
L43	0	("only if all ports are available")	USPAT	OR	OFF	2009/04/21 20:06
L44	0	("only if") WITH ("available")	USPAT	OR	OFF	2009/04/21 20:06

L45	0	("only if") WITH ("available")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 20:06
L46	0	("only if") SAME ("available")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/21 20:06
L47	0	("only") WITH ("if") WITH ("available")	USPAT	OR	OFF	2009/04/21 20:06
L48	135194	("only") WITH ("available")	USPAT	OR	OFF	2009/04/21 20:06
L49	0	("all ports must be available")	USPAT	OR	OFF	2009/04/21 20:06
L50	0	("all ports") WITH ("available")	USPAT	OR	OFF	2009/04/21 20:06
L51	0	((("all") adj ("ports")) WITH ("available"))	USPAT	OR	OFF	2009/04/21 20:06
L52	0	((("all") adj ("ports"))	USPAT	OR	OFF	2009/04/21 20:06
L53	1090	(((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))	USPAT	OR	OFF	2009/04/21 20:06
L54	195	((((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))) SAME ("only")	USPAT	OR	OFF	2009/04/21 20:06

L55	1	(((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3)))) AND (((multicast\$3) or (broadcast\$3)) WITH ((until) adj (available)))	USPAT	OR	OFF	2009/04/21 20:06
L56	3	(((port\$1) or (output \$1) or (destination\$1) or (exit\$3) or (depart \$3) or (transmit\$4) or (egress)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3)))) AND (((multicast\$3) or (broadcast\$3)) SAME ((until) adj (available)))	USPAT	OR	OFF	2009/04/21 20:06
L57	12	(US-6081522-\$ or US-5905725-\$ or US-5862128-\$ or US-7218637-\$ or US-7212494-\$ or US-6304552-\$ or US-6272151-\$ or US-6493347-\$ or US-6687247-\$ or US-7020139-\$ or US-7382787-\$ or US-6032192-\$ or US-5712907-\$).did.	USPAT	OR	OFF	2009/04/21 20:06
L58	469	(((multicast\$3) or (broadcast\$3)) SAME (((port\$1) or (output \$1)) near2 ((open) or (available) or (availability) or (unblock\$3) or (("not") adj (block \$3))))	USPAT	OR	OFF	2009/04/21 20:06

L59	2	((memory) adj (pointer\$1)) SAME ((routing) adj (table)) SAME (source)	USPAT	OR	OFF	2009/04/21 20:06
L60	5	((memory) adj (address\$2)) SAME ((routing) adj (table)) SAME (source)	USPAT	OR	OFF	2009/04/21 20:06
L61	3	((memory) adj (location\$1)) SAME ((routing) adj (table)) SAME (source)	USPAT	OR	OFF	2009/04/21 20:06

4/ 21/ 2009 8:10:45 PM

C:\ Documents and Settings\ mmais\ My Documents\ EAST\ Workspaces\ 10,779,466 [4-16-2009].wsp